

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

JAN 30 1961
UNITED STATES DEPARTMENT OF AGRICULTURE
AGRICULTURAL RESEARCH SERVICE

U. S. DEPARTMENT OF AGRICULTURE
X Breed Distribution of ~~NP~~ Participating Flocks by States and Divisions,
1948-49, 1958-59 and 1959-60 X

The tabulation which follows shows the number of birds in NPIP hatchery supply flocks and the percentage distribution according to the matings in which they were used. These data indicate the trend in the type of chick demanded in the various States and Divisions. This is not an entirely accurate indication of breed popularity since the Crossmated totals include a high proportion of purebreds which would otherwise be listed under the respective breed totals. It will be noted that there is also some variation in the first year reported. In some cases data were not available for 1948-49, consequently the figures for the nearest available year were used to show, insofar as possible, the long-time trend within the State. The divisional totals are for the year 1959-60.

Breed distribution data for the past 19 years for all reporting States are summarized on page 4. The most significant data seem to be the continuation of the increase in the percentage of birds in crossmated flocks. This trend is largely due to the increase in the number of crossmated flocks for broiler production.

| | | Percentage distribution by varieties | | | | | | | |
|-----------------------|-----------|--------------------------------------|---------|-------|--------|-----------|--------|----------|-------|
| Division | Total | New | White | White | Barred | Rhode Is- | Cross- | Incross- | |
| State and Year | Birds | Hampshire | Leghorn | Rock | Rock | land Red | mated | mated | Other |
| Maine | | | | | | | | | |
| 1948-49 | 789,655 | 61.0 | .01 | 1.5 | 20.9 | 15.9 | .3 | ---- | .38 |
| 1958-59 | 2,232,211 | .04 | .1 | 7.8 | ---- | .3 | 91.1 | .6 | .06 |
| 1959-60 | 1,732,549 | ---- | .3 | 5.4 | ---- | .1 | 92.2 | .6 | 1.4 |
| New Hampshire | | | | | | | | | |
| 1948-49 | 1,352,165 | 87.9 | .5 | .5 | 9.9 | 1.1 | ---- | ---- | .1 |
| 1958-59 | 1,013,897 | 10.6 | 1.0 | 43.6 | 3.4 | .6 | 39.5 | ---- | 1.3 |
| 1959-60 | 665,893 | 5.7 | 1.6 | 49.1 | 3.8 | 1.2 | 31.2 | ---- | 7.4 |
| Vermont | | | | | | | | | |
| 1949-50 | 190,083 | 45.3 | ---- | .5 | 39.4 | 14.7 | ---- | ---- | .1 |
| 1958-59 | 204,513 | 1.6 | 8.8 | 10.6 | .6 | .6 | 77.8 | ---- | ---- |
| 1959-60 | 200,874 | 1.7 | 11.5 | 3.6 | ---- | 1.0 | 82.2 | ---- | .03 |
| Massachusetts | | | | | | | | | |
| 1948-49 | 907,205 | 17.9 | 1.6 | 3.0 | 22.7 | 43.8 | 8.4 | ---- | 2.6 |
| 1958-59 | 726,327 | 5.8 | 7.9 | 12.5 | 6.5 | 12.7 | 51.9 | ---- | 2.7 |
| 1959-60 | 510,489 | ---- | 2.0 | 7.7 | 2.9 | 12.1 | 70.2 | ---- | 5.1 |
| Rhode Island | | | | | | | | | |
| 1948-49 | 40,479 | 12.2 | .7 | 8.0 | 33.3 | 40.9 | 4.1 | ---- | .83 |
| 1958-59 | 50,097 | .4 | .9 | 1.6 | 4.5 | 5.2 | 68.8 | ---- | 18.6 |
| 1959-60 | 30,050 | .5 | 2.0 | .8 | 1.0 | 8.2 | 79.1 | ---- | 8.4 |
| Connecticut | | | | | | | | | |
| 1948-49 | 459,472 | 36.9 | 2.5 | 9.3 | 30.1 | 20.2 | .1 | ---- | .9 |
| 1958-59 | 739,027 | ---- | .8 | 43.5 | 1.9 | ---- | 53.7 | ---- | .1 |
| 1959-60 | 616,653 | ---- | 4.7 | 34.1 | 10.6 | 1.8 | 48.6 | ---- | .2 |
| New York | | | | | | | | | |
| 1948-49 | 699,269 | 21.1 | 47.9 | 2.5 | 17.8 | 10.3 | ---- | ---- | .4 |
| 1958-59 | 503,947 | 1.8 | 68.5 | 2.8 | 1.4 | 2.9 | 20.4 | 1.8 | .4 |
| 1959-60 | 495,124 | 1.0 | 81.6 | .7 | .4 | 2.3 | 11.5 | 2.1 | .4 |
| New Jersey | | | | | | | | | |
| 1948-49 | 590,479 | 10.0 | 67.5 | 1.0 | 3.6 | 7.4 | 10.0 | ---- | .4 |
| 1958-59 | 675,387 | .5 | 76.1 | 1.2 | .4 | .9 | 14.1 | 6.6 | .2 |
| 1959-60 | 527,358 | .2 | 70.3 | 4.3 | .5 | .8 | 13.6 | 10.1 | .2 |
| Pennsylvania | | | | | | | | | |
| 1949-50 | 1,336,042 | 46.8 | 22.3 | 3.5 | 2.8 | 1.2 | 22.6 | ---- | .8 |
| 1958-59 | 1,462,781 | .9 | 31.3 | 8.8 | .8 | 1.0 | 48.5 | 8.2 | .5 |
| 1959-60 | 1,437,016 | .7 | 28.5 | 3.6 | .2 | .5 | 55.2 | 10.7 | .6 |
| North Atlantic | | | | | | | | | |
| | 6,216,006 | .9 | 20.3 | 12.2 | 1.8 | 1.8 | 57.5 | 3.7 | 1.8 |

| Division | Total | Percentage distribution by varieties | | | | | | | |
|-------------------------|------------------|--------------------------------------|-------------|---------------|-----------|------------|-------------|-------------|------------|
| | | New | White | White: Barred | Rhode Is- | Cross- | Incross- | Other | |
| State and Year | Birds | Hampshire | Leghorn | Rock | Rock | land Red | mated | mated | Other |
| Ohio | | | | | | | | | |
| 1948-49 | 1,386,066 | 25.1 | 30.5 | 24.7 | 6.3 | 2.8 | 7.1 | ---- | 3.5 |
| 1958-59 | 1,101,078 | 5.1 | 29.9 | 17.3 | .9 | 1.2 | 29.6 | 13.7 | 2.3 |
| 1959-60 | 825,927 | 5.0 | 28.0 | 14.4 | 1.1 | 1.2 | 28.3 | 19.7 | 2.3 |
| Indiana | | | | | | | | | |
| 1948-49 | 2,527,494 | 27.3 | 17.9 | 24.5 | 16.7 | 3.5 | 5.7 | ---- | 4.5 |
| 1958-59 | 2,498,648 | 4.3 | 17.2 | 15.6 | 1.1 | 1.1 | 53.7 | 6.1 | .9 |
| 1959-60 | 2,615,551 | 3.1 | 16.8 | 10.2 | .6 | .9 | 62.0 | 5.6 | .8 |
| Illinois | | | | | | | | | |
| 1948-49 | 2,453,401 | 17.1 | 21.0 | 31.3 | 6.9 | 2.3 | 12.5 | ---- | 8.7 |
| 1958-59 | 1,360,381 | 5.0 | 29.8 | 15.0 | .7 | 1.1 | 25.9 | 20.0 | 2.5 |
| 1959-60 | 1,064,705 | 4.2 | 32.5 | 11.6 | .8 | 1.2 | 21.3 | 24.2 | 4.2 |
| Michigan | | | | | | | | | |
| 1948-49 | 476,761 | 9.4 | 49.8 | 17.6 | 8.0 | 6.3 | 6.9 | ---- | 1.9 |
| 1958-59 | 418,847 | 1.6 | 42.0 | 12.6 | .2 | 1.4 | 29.6 | 11.8 | .8 |
| 1959-60 | 308,609 | 1.1 | 43.9 | 7.8 | .1 | 1.5 | 27.6 | 17.3 | .7 |
| Wisconsin | | | | | | | | | |
| 1948-49 | 359,267 | 8.4 | 75.0 | 9.7 | .4 | .3 | 5.1 | ---- | 1.0 |
| 1958-59 | 493,705 | 4.1 | 25.1 | 9.0 | ---- | .1 | 44.7 | 15.7 | 1.3 |
| 1959-60 | 390,046 | .3 | 26.4 | 5.0 | ---- | .1 | 43.2 | 16.0 | 9.1 |
| E. North Central | 5,204,838 | 3.3 | 24.1 | 10.6 | .7 | 1.0 | 44.9 | 13.0 | 2.4 |
| Minnesota | | | | | | | | | |
| 1948-49 | 1,774,551 | 7.7 | 61.9 | 5.5 | .3 | .6 | 23.1 | ---- | .9 |
| 1958-59 | 1,816,396 | .5 | 50.3 | 5.6 | .3 | .3 | 25.6 | 16.4 | 1.0 |
| 1959-60 | 1,276,269 | .4 | 53.4 | 4.2 | .1 | .2 | 17.9 | 23.0 | .8 |
| Iowa | | | | | | | | | |
| 1948-49 | 1,052,969 | 16.7 | 29.4 | 19.0 | 2.4 | 1.1 | 28.8 | ---- | 2.5 |
| 1958-59 | 1,605,282 | .2 | 24.4 | 1.7 | .2 | .9 | 35.8 | 35.2 | 1.6 |
| 1959-60 | 1,304,683 | .1 | 31.4 | 1.8 | .01 | .6 | 26.8 | 37.6 | 1.7 |
| Missouri | | | | | | | | | |
| 1948-49 | 2,615,162 | 23.7 | 24.9 | 19.1 | 6.2 | 6.1 | 10.8 | ---- | 9.2 |
| 1958-59 | 2,194,769 | 3.5 | 8.1 | 4.8 | .6 | 2.4 | 75.9 | 2.8 | 1.9 |
| 1959-60 | 2,106,902 | 2.8 | 7.0 | 3.5 | .6 | 1.8 | 80.3 | 2.3 | 1.7 |
| North Dakota | | | | | | | | | |
| 1948-49 | 187,742 | 20.9 | 33.7 | 26.6 | 1.0 | .8 | 12.4 | ---- | 4.7 |
| 1958-59 | 142,310 | 4.4 | 25.5 | 23.3 | .1 | .2 | 39.1 | 4.1 | 3.3 |
| 1959-60 | 122,244 | 4.4 | 25.0 | 22.5 | .3 | .2 | 37.2 | 7.3 | 3.1 |
| South Dakota | | | | | | | | | |
| 1948-49 | 247,652 | 15.3 | 36.1 | 19.8 | .8 | .3 | 7.3 | ---- | 20.4 |
| 1958-59 | 256,565 | .5 | 36.8 | 3.2 | ---- | 2.1 | 35.6 | 17.5 | 4.3 |
| 1959-60 | 245,157 | .3 | 48.0 | 2.1 | ---- | 1.5 | 26.1 | 17.9 | 4.1 |
| Nebraska | | | | | | | | | |
| 1948-49 | 412,521 | 17.0 | 22.8 | 28.8 | .8 | 1.4 | 26.9 | ---- | 2.3 |
| 1958-59 | 488,306 | .9 | 15.8 | 3.8 | ---- | .6 | 46.4 | 32.3 | .2 |
| 1959-60 | 367,536 | .8 | 21.4 | 3.7 | ---- | .5 | 37.7 | 35.5 | .4 |
| Kansas | | | | | | | | | |
| 1948-49 | 813,020 | 22.1 | 19.0 | 16.8 | 1.0 | 2.5 | 32.4 | ---- | 6.2 |
| 1958-59 | 540,824 | 2.4 | 15.0 | 4.0 | .2 | 1.5 | 62.2 | 12.0 | 2.7 |
| 1959-60 | 398,351 | 1.5 | 16.3 | 3.0 | .3 | 2.0 | 56.4 | 18.6 | 1.9 |
| W. North Central | 5,821,142 | 1.4 | 26.3 | 3.6 | .3 | 1.0 | 47.1 | 18.7 | 1.6 |
| Delaware | | | | | | | | | |
| 1948-49 | 367,506 | 2.3 | .8 | .02 | 1.9 | .3 | 94.1 | ---- | .6 |
| 1958-59 | 461,348 | .5 | .2 | .3 | ---- | .2 | 97.8 | .7 | .3 |
| 1959-60 | 533,489 | .1 | 2.4 | .1 | ---- | .2 | 96.2 | .9 | .1 |
| Maryland | | | | | | | | | |
| 1948-49 | 431,658 | 68.1 | 20.0 | 3.6 | 3.6 | 2.1 | ---- | ---- | 2.6 |
| 1958-59 | 349,184 | 2.6 | 4.5 | 1.8 | ---- | .2 | 88.8 | 1.8 | .3 |
| 1959-60 | 278,003 | 1.0 | 4.4 | 1.6 | ---- | .1 | 89.7 | 3.2 | ---- |
| Virginia | | | | | | | | | |
| 1948-49 | 801,443 | 67.7 | 9.5 | 1.0 | 4.9 | 1.4 | 15.3 | ---- | .1 |
| 1958-59 | 1,214,006 | 1.2 | 4.0 | 4.1 | .1 | 1.0 | 87.0 | 2.6 | .02 |
| 1959-60 | 1,058,519 | .8 | 4.1 | 3.3 | .01 | .9 | 88.0 | 2.7 | .23 |

| Division State and Year | Total Birds | Percentage distribution by varieties | | | | | | | |
|----------------------------|----------------|--------------------------------------|------------------|---------------|----------------|-----------------------|-----------------|-------------------|-------|
| | | New Hampshire | White Leghorn | White Rock | Barred Rock | Rhode Is- land Red | Cross- mated | Incross- mated | Other |
| West Virginia | | | | | | | | | |
| 1948-49 | 156,290 | 45.0 | 16.9 | 5.4 | 3.3 | 2.9 | 21.9 | ---- | 4.6 |
| 1958-59 | 178,137 | 4.9 | 6.9 | 3.3 | .3 | 1.1 | 81.1 | .5 | 1.9 |
| 1959-60 | 113,618 | 5.1 | 13.1 | 1.5 | .3 | 1.9 | 74.7 | .6 | 2.8 |
| North Carolina | | | | | | | | | |
| 1948-49 | 778,362 | 65.4 | 4.8 | 1.8 | 7.3 | 5.3 | 14.6 | ---- | 1.0 |
| 1958-59 | 3,818,065 | .4 | 2.0 | 3.4 | .005 | 1.9 | 91.9 | .4 | .03 |
| 1959-60 | 3,296,552 | ---- | 3.6 | 3.2 | .03 | 1.8 | 90.7 | .7 | .02 |
| South Carolina | | | | | | | | | |
| 1948-49 | 114,028 | 65.4 | 6.0 | 4.1 | 7.7 | 10.0 | 5.8 | ---- | 1.1 |
| 1958-59 | 405,922 | .1 | 10.9 | 7.5 | .9 | 5.1 | 72.7 | 1.5 | 1.3 |
| 1959-60 | 416,931 | .2 | 8.6 | 10.9 | .3 | 4.3 | 73.4 | 2.3 | ---- |
| Georgia | | | | | | | | | |
| 1948-49 | 609,908 | 85.9 | 1.3 | .4 | .6 | 5.6 | 6.1 | ---- | .1 |
| 1958-59 | 4,748,162 | 1.2 | 6.1 | 11.6 | ---- | .2 | 80.9 | ---- | .08 |
| 1959-60 | 4,784,437 | 2.3 | 6.3 | 5.8 | ---- | .1 | 85.2 | ---- | .3 |
| Florida | | | | | | | | | |
| 1948-49 | 161,317 | 77.8 | 19.8 | .8 | .3 | .6 | .3 | ---- | .5 |
| 1958-59 | 328,644 | 1.6 | 38.8 | 8.1 | ---- | 1.4 | 38.3 | 10.9 | .9 |
| 1959-60 | 259,046 | .9 | 35.6 | 4.3 | .5 | .3 | 43.1 | 14.6 | .8 |
| South Atlantic | 10,740,595 | 1.2 | 5.9 | 4.5 | .03 | .9 | 86.2 | 1.1 | .22 |
| Kentucky | | | | | | | | | |
| 1948-49 | 493,658 | 39.6 | 5.7 | 27.0 | 16.1 | 6.6 | 1.2 | ---- | 4.0 |
| 1958-59 | 496,688 | 9.5 | 4.3 | 6.9 | 1.6 | .7 | 56.2 | .6 | .2 |
| 1959-60 | 317,011 | 9.4 | 8.4 | 9.4 | 1.5 | .5 | 70.2 | .3 | .3 |
| Tennessee | | | | | | | | | |
| 1948-49 | 215,819 | 40.6 | 9.4 | 17.7 | 17.1 | 4.6 | 1.2 | ---- | 9.4 |
| 1958-59 | 400,403 | 5.4 | 11.1 | 5.7 | 1.8 | 3.3 | 64.4 | 7.5 | .8 |
| 1959-60 | 430,016 | 3.0 | 13.4 | 3.4 | 1.4 | 1.9 | 68.2 | 8.3 | .4 |
| Alabama | | | | | | | | | |
| 1948-49 | 186,010 | 82.1 | 9.5 | 1.6 | 2.9 | 2.3 | .3 | ---- | 1.2 |
| 1958-59 | 1,406,282 | .2 | 3.3 | 14.6 | .03 | .6 | 78.4 | 2.9 | .03 |
| 1959-60 | 1,784,039 | .1 | 3.0 | 10.6 | .5 | .4 | 84.1 | 1.3 | .02 |
| Mississippi | | | | | | | | | |
| 1948-49 | 87,144 | 35.3 | 14.1 | 9.7 | 7.2 | 4.2 | 25.5 | ---- | 4.1 |
| 1958-59 | 1,287,912 | .1 | 4.0 | 8.8 | .01 | .2 | 85.8 | 1.1 | ---- |
| 1959-60 | 1,557,938 | .07 | 3.6 | 8.2 | .01 | .1 | 87.4 | .6 | .01 |
| Arkansas | | | | | | | | | |
| 1948-49 | 125,324 | 20.9 | 5.5 | 8.2 | 17.7 | 2.5 | 25.7 | ---- | 19.5 |
| 1958-59 | 1,335,255 | ---- | 1.8 | 6.2 | .004 | ---- | 84.8 | 1.2 | 6.0 |
| 1959-60 | 1,434,037 | ---- | 3.1 | 9.2 | .01 | ---- | 86.2 | 1.4 | .1 |
| Louisiana | | | | | | | | | |
| 1948-49 | 49,982 | 30.0 | 9.2 | 15.6 | 15.2 | 8.0 | 5.8 | ---- | 16.2 |
| 1958-59 | 324,359 | 1.2 | 10.6 | 2.1 | .3 | .3 | 83.6 | 1.9 | ---- |
| 1959-60 | 260,126 | .9 | 6.4 | ---- | ---- | 1.0 | 88.9 | 2.4 | .4 |
| Oklahoma | | | | | | | | | |
| 1948-49 | 337,693 | 13.0 | 20.5 | 20.3 | 3.7 | 5.0 | 25.7 | ---- | 11.9 |
| 1958-59 | 222,961 | 8.5 | 19.6 | 9.4 | .4 | .4 | 50.0 | 2.6 | 9.1 |
| 1959-60 | 229,252 | 5.9 | 15.8 | 6.5 | .3 | .5 | 60.8 | 4.4 | 5.8 |
| Texas | | | | | | | | | |
| 1948-49 | 393,773 | 11.0 | 53.8 | 3.5 | 3.8 | 3.3 | 19.9 | ---- | 4.7 |
| 1958-59 | 551,593 | .1 | 21.7 | 3.3 | ---- | ---- | 47.3 | 27.5 | .1 |
| 1959-60 | 371,725 | .2 | 28.5 | 2.6 | ---- | ---- | 34.8 | 33.8 | .3 |
| South Central | 6,384,144 | 1.0 | 6.2 | 8.1 | .3 | .4 | 80.1 | 3.6 | .3 |
| Montana | | | | | | | | | |
| 1948-49 | 33,153 | 31.1 | 32.3 | 13.1 | .4 | 1.9 | 16.2 | ---- | 5.0 |
| 1958-59 | 75,619 | 6.4 | 33.3 | 14.6 | ---- | ---- | 42.1 | 3.6 | ---- |
| 1959-60 | 63,125 | 5.5 | 40.5 | 6.5 | ---- | ---- | 41.8 | 5.5 | .2 |
| Idaho | | | | | | | | | |
| 1948-49 | 95,811 | 43.9 | 30.6 | 6.8 | ---- | ---- | 15.4 | ---- | 3.2 |
| 1958-59 | 85,585 | 12.6 | 47.2 | 7.5 | ---- | .6 | 30.3 | 1.0 | .8 |
| 1959-60 | 82,418 | 10.1 | 36.0 | 2.4 | ---- | .6 | 49.7 | .9 | .3 |

| | | Percentage distribution by varieties | | | | | | | |
|-------------------|------------------|--------------------------------------|-------------|------------|-----------|-----------|-------------|------------|-----------|
| Division | Total | New | White | White | Barred | Rhode Is | Cross | Incross | |
| State and Year | Birds | Hampshire | Leghorn | Rock | Rock | land Red | mated | mated | Other |
| Wyoming | | | | | | | | | |
| 1948-49 | 13,432 | 22.1 | 42.2 | 25.9 | ---- | 1.8 | 6.2 | ---- | 1.9 |
| 1958-59 | 4,798 | 6.5 | 3.6 | 18.6 | ---- | ---- | 19.7 | 51.6 | ---- |
| 1959-60 | 4,176 | 5.7 | 4.0 | 12.1 | ---- | ---- | 9.0 | 69.2 | ---- |
| Colorado | | | | | | | | | |
| 1948-49 | 135,291 | 23.3 | 31.9 | 20.1 | 1.6 | 5.2 | 13.4 | ---- | 4.5 |
| 1958-59 | 62,002 | 7.4 | 20.8 | 13.1 | ---- | ---- | 21.4 | 36.4 | .9 |
| 1959-60 | 57,491 | 7.9 | 19.7 | 14.9 | ---- | ---- | 25.7 | 31.4 | .4 |
| New Mexico | | | | | | | | | |
| 1948-49 | 6,480 | 11.8 | 64.4 | ---- | ---- | ---- | 20.6 | ---- | 3.2 |
| 1958-59 | 540 | 55.6 | ---- | ---- | ---- | ---- | 44.4 | ---- | ---- |
| 1959-60 | ----- | ---- | ---- | ---- | ---- | ---- | ---- | ---- | ---- |
| Arizona | | | | | | | | | |
| 1948-49 | 11,987 | 47.0 | 17.9 | ---- | 2.0 | 27.9 | 4.6 | ---- | .6 |
| 1958-59 | 22,961 | ---- | 43.3 | 7.0 | ---- | ---- | 36.7 | 13.0 | ---- |
| 1959-60 | 26,588 | ---- | 55.6 | ---- | ---- | 5.6 | 16.2 | 22.6 | ---- |
| Utah | | | | | | | | | |
| 1948-49 | 82,837 | 11.0 | 84.4 | .2 | ---- | ---- | 3.1 | ---- | 1.3 |
| 1958-59 | 95,401 | 8.6 | 40.9 | 11.0 | ---- | ---- | 11.5 | 28.0 | ---- |
| 1959-60 | 73,684 | 7.4 | 44.4 | 2.0 | ---- | ---- | 19.2 | 27.0 | .04 |
| Washington | | | | | | | | | |
| 1948-49 | 419,990 | 45.3 | 39.0 | .4 | .4 | 10.8 | 3.5 | ---- | .7 |
| 1958-59 | 461,260 | 2.6 | 52.8 | 7.7 | .03 | 1.6 | 31.1 | 4.1 | .13 |
| 1959-60 | 476,431 | 1.8 | 51.9 | 2.3 | .04 | .9 | 38.3 | 4.4 | .4 |
| Oregon | | | | | | | | | |
| 1948-49 | 384,859 | 52.6 | 23.8 | 1.1 | 1.3 | 9.6 | 10.7 | ---- | .9 |
| 1958-59 | 509,789 | 3.0 | 19.3 | 3.2 | .2 | 3.3 | 69.0 | 1.4 | .6 |
| 1959-60 | 406,453 | 3.0 | 22.8 | 2.3 | .3 | 2.2 | 67.9 | 1.3 | .2 |
| California | | | | | | | | | |
| 1948-49 | 1,250,945 | 39.0 | 55.4 | ---- | 1.5 | 1.1 | ---- | ---- | 3.0 |
| 1958-59 | 615,981 | 2.2 | 15.0 | 3.7 | .3 | .2 | 72.4 | 5.7 | .5 |
| 1959-60 | 543,698 | 9.2 | 13.7 | 9.7 | .02 | ---- | 58.9 | 7.3 | 1.2 |
| Western | 1,734,064 | 5.4 | 30.5 | 5.2 | .1 | .9 | 50.7 | 6.7 | .5 |

Summary of Breed Distribution in NPIP Hatchery Supply Flocks
1941-42 to 1959-60

| | | Percentage of | | | | | | | | |
|---------|--------|---------------|-----------|---------|-------|--------|-----------|--------|----------|-------|
| | | Total | New | White | White | Barred | Rhode Is- | Cross- | Incross- | |
| Year | States | Birds | Hampshire | Leghorn | Rock | Rock | land Red | mated | mated | Other |
| 1941-42 | 33 | 10,712,027 | 21.2 | 24.1 | 15.6 | 16.2 | 12.5 | 2.0 | ---- | 8.4 |
| 1942-43 | 40 | 15,780,980 | 19.2 | 26.6 | 18.3 | 15.7 | 8.9 | 3.0 | ---- | 8.3 |
| 1943-44 | 42 | 20,331,999 | 19.4 | 25.9 | 19.7 | 13.9 | 8.3 | 5.5 | ---- | 7.3 |
| 1944-45 | 39 | 17,573,321 | 20.6 | 25.8 | 17.5 | 12.4 | 8.0 | 9.8 | ---- | 5.9 |
| 1945-46 | 32 | 20,256,904 | 23.8 | 23.1 | 17.0 | 11.4 | 7.7 | 11.3 | ---- | 5.7 |
| 1946-47 | 38 | 24,490,346 | 23.4 | 25.4 | 17.4 | 10.0 | 6.5 | 11.1 | ---- | 6.2 |
| 1947-48 | 42 | 25,148,247 | 25.9 | 24.7 | 15.2 | 10.2 | 6.8 | 12.4 | ---- | 4.8 |
| 1948-49 | 44 | 26,458,372 | 31.9 | 25.7 | 13.2 | 7.8 | 5.6 | 11.9 | ---- | 3.9 |
| 1949-50 | 47 | 36,195,375 | 38.8 | 21.9 | 10.4 | 6.3 | 4.3 | 15.1 | ---- | 3.2 |
| 1950-51 | 47 | 33,804,603 | 38.9 | 21.6 | 10.1 | 5.8 | 4.1 | 16.4 | ---- | 3.1 |
| 1951-52 | 47 | 37,559,597 | 41.4 | 18.9 | 11.9 | 4.0 | 3.3 | 14.3 | 3.4 | 2.8 |
| 1952-53 | 47 | 33,847,682 | 36.2 | 20.1 | 14.8 | 3.5 | 3.2 | 16.0 | 4.0 | 2.2 |
| 1953-54 | 47 | 36,027,365 | 25.4 | 18.9 | 23.1 | 2.2 | 2.7 | 19.7 | 5.1 | 2.9 |
| 1954-55 | 47 | 37,066,336 | 16.0 | 19.2 | 29.5 | 1.3 | 2.7 | 21.2 | 7.0 | 3.1 |
| 1955-56 | 47 | 34,881,690 | 6.7 | 18.9 | 25.2 | 1.2 | 2.3 | 34.0 | 9.1 | 2.6 |
| 1956-57 | 47 | 39,013,812 | 4.1 | 14.8 | 21.0 | 1.0 | 1.7 | 47.1 | 8.0 | 2.3 |
| 1957-58 | 47 | 35,588,558 | 3.2 | 17.0 | 10.1 | .7 | 1.7 | 57.7 | 8.4 | 1.2 |
| 1958-59 | 47 | 39,988,155 | 2.1 | 15.5 | 9.8 | .5 | 1.2 | 63.5 | 6.4 | 1.0 |
| 1959-60 | 47 | 36,100,789 | 1.7 | 15.5 | 7.2 | .5 | 1.0 | 66.2 | 6.8 | 1.1 |

Information in this report was compiled by the Animal Husbandry Research Division,
Agricultural Research Service.